



# 2022

EUROPEAN  
CATALOG

**o\_two** controlled<sup>™</sup>  
ventilation

Effective January 1<sup>st</sup> 2022

# CONTENTS

AUTOMATIC VENTILATION	04
ANALGESIA	09
IMMEDIATE CARE	12
OXYGEN DEMAND VALVES & KITS	18
PRESSURE REGULATORS & OXYGEN ADMINISTRATION	21
MOUNTING AND CARRYING SOLUTION	24

# O-TWO MEDICAL TECHNOLOGIES INC. CUSTOMER SERVICE POLICY

## 1. CONDITIONS OF SALE:

- All orders are subject to acceptance by O-Two Medical Technologies Inc.
- New accounts require credit approval prior to shipment of goods.
- Minimum order value \$250.00
- Orders below this amount must be prepaid by wire transfer, bank draft
- Prices are subject to change without notice.

## 2. FREIGHT POLICY:

- Orders will be shipped collect via carrier of your choice or shipping costs may be prepaid by O-Two and applied to your invoice.
- All prices are Ex Works Brampton, Ontario.

## 3. PLACING ORDERS:

- Orders must be placed by e-mail or fax direct with O-Two Customer Service.
- All sales are in full case quantities only.
- Standard shipping is 2 weeks (unless otherwise notified otherwise by Customer Service).

## 4. BACKORDER POLICY:

- All backordered items will be shipped immediately upon availability, unless otherwise specified.

## 5. PAYMENT TERMS:

- Net 30 from date of invoice on approved credit.
- All other payments on non-credit accounts may be made by wire transfer bank draft prior to acceptance of any order.
- A 2% monthly interest charge on past due balances may be applied.

## 6. RETURN GOODS POLICY:

- A Return Authorization Number (RAN) must be obtained prior to returning any merchandise. Any product returned without a RAN will be refused. Merchandise shipped from O-Two Medical Technologies Inc. more than 30 days prior to return authorization request may not be returned.
- Freight charges on returned goods must be prepaid.
- Returned goods are subject to our inspection before credit is issued. If saleable merchandise is returned for credit there will be a 20% restocking charge deducted from the credit note.
- Where merchandise is returned as a result of O-Two Medical Technologies Inc. error or manufacturing defect, full credit or replacement of merchandise, including freight, at the discretion of O-Two Medical Technologies Inc. will be issued.
- The Authorization form with the Returned Goods Authorization number must be completed and enclosed with all returned goods along with a packing slip.

Bio Barrier®, Rescue Breather®, Equinox®, Statvac®, SMART BAG®, Easy Grip®, Revive-Aid® and CAREvent® are all registered trademarks of O-Two Medical Technologies Inc.

---

# AUTOMATIC VENTILATION

---

### eSeries Ventilators



PART N°	DESCRIPTION	UNITS
<b>01EVE500</b>	e500 - Electronic Automatic Transport Ventilator c/w Disposable Patient Circuit, Resuscitation Mask, 6 Foot Supply Hose*, Calibrated Test Lung and Power Supply (Specify Country of Use)	Each
<b>01EVE700</b>	e700 - Electronic Automatic Transport Ventilator c/w Disposable Patient Circuit, Resuscitation Mask, 6 Foot Supply Hose*, Calibrated Test Lung and Power Supply (Specify Country of Use)	Each

### eSeries Ventilators Accessories



PART N°	DESCRIPTION	UNITS
<b>01CV8030-CS</b>	O-Two Medical Single-Use Electronic Transport Ventilator 6 Foot Circuit with Protective Sleeve. For e500, e600 and e700	Case/10



<b>01CV7035</b>	O-Two Medical "e" Series Ventilator "Smart Mount" Multi-configuration Mounting Bracket (Ambulance Cot, Hospital Stretcher, Bed, Roll Stand)	Each
-----------------	---	------



<b>01CV8040-CS</b>	O-Two Medical "e" Series Ventilator Replacement Intake Filter/Cover	Case/10
--------------------	---	---------



<b>01TA1852</b>	O-Two Medical "e" Series Ventilator Replacement 1 Litre Test Lung with Compliance Restrictor	Each
-----------------	--	------



<b>01FV4303-DISS</b>	O-Two 6 Foot (1.85 Meter) O2 Supply Hose with 9/16 DISS Nut and 9/16" DISS Nut Ventilator Connection	Each
----------------------	--	------



<b>01CV9100</b>	O-Two Medical "e" Series Replacement Lithium Ion Replacement Battery	Each
-----------------	--	------



<b>01CV0105</b>	Power Supply - eSeries	Each
-----------------	------------------------	------



<b>01CV0106</b>	Power supply cord for eSeries power supply	Each
-----------------	--	------



<b>01CV0102-EU</b>	Power supply cord for eSeries power supply	Each
--------------------	--	------



<b>01CV7050</b>	eSeries Automatic Transport Ventilator Carrying Case - With sling-style shoulder strap (specifically designed for eSeries)	Each
-----------------	--	------


\*Refer to page 34 to confirm the hose required for your country

### CAREvent® Ventilators



PART N°	DESCRIPTION	UNITS
<b>01CV6000</b>	CAREvent® ATV+ Automatic Transport Ventilator c/w Adjustable 20 - 60 cm H <sub>2</sub> O Pressure Relief System, Low Pressure Visual and Audible Alarms, Air Mix, Adjustable CPAP/PEEP, Breathing System Integrity (BSI) Alarm, 6' Supply Hose*, Deluxe Disposable Ventilation Circuit, Calibrated Test Lung and Universal Resuscitation Mask	Each
<b>01CV7000</b>	CAREvent® MRI Conditional Transport Ventilator c/w Adjustable 20 - 60 cm H <sub>2</sub> O Pressure Relief System, Low Pressure Visual and Audible Alarm, Air Mix, Adjustable CPAP/PEEP, Breathing System Integrity (BSI) Alarm, 6' Supply Hose*, Deluxe Disposable Ventilation Circuit, Calibrated Test Lung & Universal Mask	Each
<b>01CV3000</b>	CAREvent® ALS Automatic Transport Resuscitator complete with Gurney Clip, 6 Foot Supply Hose* and Universal Resuscitation Mask	Each
<b>01CV3000-CA</b>	CAREvent® CA (Chemical Agent) Handheld Automatic Rescue Resuscitator complete with 6 Foot Supply Hose* and Universal Resuscitation Face Mask	Each

### CAREvent® Accessories



PART N°	DESCRIPTION	UNITS
<b>01CV8015-CS</b>	O-Two Deluxe Disposable Ventilation Circuit with PEEP Port & anti-entrainment flapper (for use with ALS, ALS+, ATV+, MRI Compatible Ventilators)	Case/10
<b>01CV8016-CS</b>	O-Two CAREvent® MRI Ventilation Circuit with PEEP Port and 10 Foot Hose	Case/10
<b>01CV8010-CS</b>	O-Two Deluxe Disposable Ventilation Circuit with PEEP Port (without anti-entrainment flapper)	Case/10
<b>10-55330-CS</b>	Disposable PEEP Valve 5 - 20 cmH <sub>2</sub> O	Case/10
<b>17MP8690-CS</b>	Air Intake Filter and Cover for CAREvent® ATV, ATV+, MRI Compatible Ventilators	Case/10
<b>01PV1121</b>	Duckbill diaphragm	Each
<b>17MP1535-CS</b>	Anti-entrainment ring	Case/10
<b>17MP9039</b>	Non-rebreathing valve cap assembly	Each
<b>01FG6502</b>	CAREvent® Handheld Automatic Time/Volume Cycled Resuscitator Head Harness System	Each



\*Refer to page 34 to confirm the hose required for your country



---

---

# ANALGESIA

---











---

## Equinox®



PART N°	DESCRIPTION	UNITS
<b>01EQ2000</b>	Equinox® Advantage Adjustable Analgesic Gas Mixing and Delivery System with Oxygen Enrichment Button c/w O <sub>2</sub> * and N <sub>2</sub> O** Supply Hoses, Single-Use Patient Circuit with Scavenger Hose and Adapter with Mouthpiece	Each
<b>01EQ1000</b>	Equinox® Relieve N <sub>2</sub> O/O <sub>2</sub> Analgesic Gas Mixing and Delivery System c/w O <sub>2</sub> * and N <sub>2</sub> O** Supply Hoses, Single-Use Patient Circuit with Scavenger Hose and Adapter with Mouthpiece	Each
<b>01EQ1000F</b>	Equinox® Relieve N <sub>2</sub> O/O <sub>2</sub> Analgesic Gas Mixing and Delivery System with Oxygen Enrichment Button c/w O <sub>2</sub> * and N <sub>2</sub> O** Supply Hoses, Single-Use Patient Circuit with Scavenger Hose and Adapter with Mouthpiece	Each
<b>01EQ7000E</b>	Equinox® II Administration System c/w Regulator, Bleed Pin, 7 Foot Supply Hose, Demand Valve, Universal Face Mask, Cylinder Wrench	Case/10
<b>01EQ7001E</b>	Equinox® II Demand Valve c/w 7 Foot Supply Hose, Universal Resuscitation Face Mask	Case/10

## Equinox® Accessories

PART N°	DESCRIPTION	UNITS
 <b>01EQ7006</b>	Equinox® II Demand Valve Bleed Pin with Chain	Each
 <b>17MP1528</b>	Equinox® II Diaphragm valve assembly	Each
 <b>17MP1535-CS</b>	Equinox® II Anti-entrainment ring	Case/10
 <b>17MP1100-90Deg</b>	Equinox® II 90° Scavenger Adapter	Each
 <b>01RE05S10-B</b>	Equinox® II Brass Pin-Indexed Yoke Regulator with 1 x 5/8" Self Sealing DISS Outlets	Each
 <b>17MP1329</b>	Equinox® II 7' replacement hose	Each
 <b>02RT1303</b>	Disposable Mouth Piece (Individually Wrapped)	Case/50
 <b>17MP1997</b>	O-Two 90° (Male to Male) adjustable Oxygen (O <sub>2</sub> ) DISS elbow assy	Each
 <b>17MP1998</b>	O-Two 90° (Male to Male) adjustable Nitrous Oxide (N <sub>2</sub> O) DISS elbow assy	Each
 <b>01CV8028-CS</b>	Single-Use 6 Foot Circuit with Scavenger Hose and Adapter with Mouthpiece	Case/10

---

# IMMEDIATE CARE

---

**Single Use CPAP**



PART N°	DESCRIPTION	UNITS
<b>01CV0211-CS</b>	O-Two Single-Use CPAP System (Large Adult) c/w Adult #5 Cuff Mask, Head Harness System, CPAP Device with Tubing	Case/10
<b>01CV0212-CS</b>	O-Two Single-Use CPAP System (Adult) c/w Adult #4 Cuff Mask, Head Harness System, CPAP Device with Oxygen Supply Tubing	Case/10
<b>01CV0213-CS</b>	O-Two Single-Use CPAP System (Child) c/w Child #3 Cuff Mask, Head Harness System, CPAP Device with Oxygen Supply Tubing	Case/10
<b>01CV0217-CS</b>	O-Two Single-Use CPAP System (Large Adult) c/w Adult #5 Cuff Mask, Head Harness System, CPAP Device with Oxygen Supply Tubing and Pressure Manometer	Case/10
<b>01CV0218-CS</b>	O-Two Single-Use CPAP System (Adult) c/w Adult #4 Cuff Mask, Head Harness System, CPAP Device with Oxygen Supply Tubing and Pressure Manometer	Case/10
<b>01CV0219-CS</b>	O-Two Single-Use CPAP System (Child) c/w Child #3 Cuff Mask, Head Harness System, CPAP Device with Oxygen Supply Tubing and Pressure Manometer	Case/10
PART N°	DESCRIPTION	UNITS
<b>01CV8009-CS</b>	O-Two Replacement Neoprene Head Harness System	Case/5

01BM3201-MO-CS



01BM3211-MO-CS



**SMART BAG®**

PART N°	DESCRIPTION	UNITS
<b>SMART BAG MO - Disposable</b>		
<b>01BM3201-MO-CS</b>	Smart Bag® w/ manual override control, adult w/ cuffed mask, oxygen reservoir & tubing	Case/12
<b>01BM3211-MO-CS</b>	Smart Bag® w/ manual override control, child w/ cuffed mask, oxygen reservoir & tubing	Case/12
<b>01BM3200-MO-CS</b>	Smart Bag® w/ manual override control, adult w/ Universal Resuscitation mask, oxygen reservoir & tubing	Case/12
<b>01BM3210-MO-CS</b>	Smart Bag® w/ manual override control, child w/ Universal Resuscitation mask, oxygen reservoir & tubing	Case/12
<b>01BM3201-CS</b>	Smart Bag adult w/ cuffed mask, oxygen reservoir & tubing	Case/12
<b>01BM3211-CS</b>	Smart Bag child w/ cuffed mask, oxygen reservoir & tubing	Case/12
<b>01BM3200-CS</b>	Smart Bag adult w/ Universal Resuscitation mask, oxygen reservoir & tubing	Case/12
<b>01BM3210-CS</b>	Smart Bag child w/ Universal Resuscitation mask, oxygen reservoir & tubing	Case/12
<b>SMART BAG MO - Reusable</b>		
<b>01BM3100-MO</b>	Smart Bag® w/ manual override control, adult w/ silicone mask, oxygen reservoir system in carton	Each
<b>01BM3110-MO</b>	Smart Bag® w/ manual override control, child w/ silicone mask, oxygen reservoir system in carton	Each

**SMART BAG® ACCESSORIES**

PART N°	DESCRIPTION	UNITS
 <p><b>01BM1000-CS</b></p>	Adult Ventilation Timing Light, individually packaged with Peel Back Adhesive Backing to attach to any Bag-Valve-Mask Resuscitator	Case/50
 <p><b>01BM1500-CS</b></p>	Pedi Ventilation Timing Light is individually packaged with Peel Back Adhesive Backing to attach to any Bag-Valve-Mask Resuscitator	Case/50
 <p><b>10-55330-CS</b></p>	Disposable PEEP Valve 5 - 20 cm H2O	Case/10
 <p><b>01CC8006</b></p>	Clear Plastic Storage Carrying Case (35mm x 15mm x 14mm)	Each



### Mini Ventilation Training Analyzer

PART N°	DESCRIPTION	UNITS
01TA1000	Mini Ventilation Training Analyzer complete with Calibrated Stomach Simulator, Calibrated Lung Simulator, 22/22 mm BVM Connector, in Softpack Carrying Case with Shoulder Strap	Each



**Rescue Breather CPR Protective Barrier**



PART N°	DESCRIPTION	UNITS
<b>Medical Grade PVC</b>		
<b>02FM4999-CS</b>	O-Two universal mask	Case/12
<b>02FM5000-CS</b>	O-Two Medium Mask (#2) with Anatomical Chin Cup	Case/12
<b>02FM5001-CS</b>	O-Two Medium Mask (#3) with Anatomical Chin Cup	Case/12
<b>Disposable</b>		
<b>02FM5207-CS</b>	O-Two Disposable Cuffed Child/Small Adult #3 Mask with Hook Ring	Case/12
<b>02FM5208-CS</b>	O-Two Disposable Cuffed Large Adult #5 Mask with Hook Ring	Case/12
<b>02FM5210-CS</b>	O-Two Disposable Cuffed Adult #4 Mask with Hook Ring	Case/12

---

# OXYGEN DEMAND VALVES & KITS

---

### Demand Valve and Resuscitator



PART N°	DESCRIPTION	UNITS
<b>01DV2000</b>	O-Two Demand Valve Resuscitator with 6 Foot Supply Hose* & Universal Face Mask	Each
<b>01DV3000</b>	O-Two Demand Valve with 6 Foot Supply Hose* & Universal Face Mask	Each



### Demand Valve Accessories

PART N°	DESCRIPTION	UNITS
 <b>01FV4303-DISS</b>	6 Foot Replacement Supply Hose with 9/16" DISS Fittings	Each
 <b>17MP1100-90DEG</b>	Non-Rebreathing Valve Cap Assembly with 90° PEEP Port	Each
 <b>17MP1528</b>	Diaphragm valve assembly	Each
 <b>17MP1535-CS</b>	Anti-entrainment ring	Case/10
 <b>17MP9039</b>	Non-rebreathing valve cap assembly	Each

---

# PRESSURE REGULATORS & OXYGEN ADMINISTRATION

---

### Pressure and Flow Regulators

PART N°	DESCRIPTION	UNITS
<b>Oxygen Regulators - Flow Therapy Only</b>		
<b>01RO01003-A</b>	Therapy Flow 0 - 25 L/min, Barbed Outlet - Aluminum Shell with Brass Core Pin-Indexed Yoke	Each
<b>01RO01002-A</b>	Therapy Flow 0 - 15 L/min, Barbed Outlet - Aluminum Shell with Brass Core Pin-Indexed Yoke	Each
<b>01RO01003-B</b>	Therapy Flow 0 - 25 L/min, Barbed Outlet - All Brass Pin-Indexed Yoke	Each
<b>01RO02003-B</b>	Therapy Flow 0 - 25 L/min, Barbed Outlet - All Brass 540 Nut & Stem	Each
<b>Oxygen Regulators - Pressure Only</b>		
<b>01RO01020-B</b>	Brass Pin-Indexed Yoke with 2x9/16" Self Sealing DISS Outlets (No Therapy Flow)	Each
<b>01RO01010-B</b>	Brass Pin-Indexed Yoke with 1x9/16" Self Sealing DISS Outlets (No Therapy Flow)	Each
<b>01RO02010-B</b>	Brass 540 Nut & Stem with 1x9/16" Self Sealing DISS Outlets (No Therapy Flow)	Each
<b>01RO02020-B</b>	Brass 540 Nut & Stem with 2x9/16" Self Sealing DISS Outlets (No Therapy Flow)	Each
<b>01RN09N10-B</b>	Brass Pin-indexed Yoke Nitrous Oxide Regulator with 1 X N2O Self Sealing DISS outlet	Each
<b>Oxygen Regulators - Pressure and Flow Therapy</b>		
<b>01RO01023-B</b>	Brass Pin-Indexed Yoke with Therapy Flow 0 - 25 L/min, Barbed Outlet, with 2 x 9/16 Self-Sealing DISS Outlets (Oxygen)	Each
<b>01RO01023-MRI</b>	MRI Brass Pin-Indexed Yoke with Therapy Flow 0 - 25 L/min, Barbed Outlet, 2 x 9/16 Self-Sealing DISS Outlets (Oxygen)	Each
<b>01RO02023-B</b>	Brass 540 Nut & Stem with Therapy Flow 0 - 25 L/min, Barbed Outlet - with 2 x 9/16 Self-Sealing DISS Outlets (Oxygen)	Each





Cylinders

PART N°	DESCRIPTION	UNITS
01EQ7007	Entonox® "D" Cylinder c/w Pin Indexed Medical Post Valve	Each
01EQ7008	Entonox® "E" Cylinder c/w Pin Indexed Medical Post Valve	Each

Pressure Regulators & Oxygen Administration Accessories

PART N°	DESCRIPTION	UNITS
01OR1002-CS	Viton/Brass Bodoc Post Valve Gasket (Yoke Seal)	Case/10
01OR1007	Low Profile High Pressure Contents Gauge (0 - 3,000 psi)	Each
02RT5400-10	Nylon Oxygen Cylinder Wrench with PVC Strap	Case/10
01OR6664-CS	Oxygen Nut & Nipple Connector	Case/10



---

# MOUNTING AND CARRYING SOLUTION

---



## Equipment Carrying Cases



PART N°	DESCRIPTION	UNITS
<b>01CV7050</b>	eSeries Automatic Transport Ventilator Carrying Case - With sling-style shoulder strap (specifically designed for eSeries)	Each



<b>01CC8005</b>	Emergency Responder Moulded Plastic Carrying Case in International Orange for "D" or "Jumbo D" Cylinders	Each
-----------------	--	------





<b>01CC8017</b>	Softpack Clamshell Carrying Case with Sling Style Shoulder Strap for "D" or "Jumbo D" Cylinders	Each
-----------------	---	------

## Ventilator Mounting and Carrying Systems



PART N°	DESCRIPTION	UNITS
<b>01CV7035</b>	O-Two Medical "e" Series Ventilator "Smart Mount" Multi-configuration Mounting Bracket (Ambulance Cot, Hospital Stretcher, Bed, Roll Stand)	Each



**[www.otwo.com](http://www.otwo.com)**

45A Armthorpe Road, Brampton, ON, Canada, L6T 5M4

Telephone: +1 905 792-OTWO (6896)

N.A. Toll Free: +1 800 387 3405 Facsimile: +1 905 799 1339

Email: [resuscitation@otwo.com](mailto:resuscitation@otwo.com)

**o\_two** controlled<sup>™</sup>  
ventilation