



O-Two Oxygen Flow Controllers

OXYGEN THERAPY TREATMENT FOR SINGLE PATIENT INCIDENTS

When you need to provide oxygen therapy the O-Two adjustable oxygen therapy flow controller provides high quality manufacturing and performance.

The O-Two adjustable oxygen therapy flow controller is a calibrated, 12-position, fixed orifice, non-gravity sensitive flow controller. The flow controller is available in a complete range of Chemetron, Ohio, female swivel DISS or 1/8 NPT female pipe inlet connections and DISS fitting valve outlet connections.

The flow controller is a lightweight, unibody, ergonomically designed assembly that can accommodate humidifiers. Ideal for all applications where adjustable oxygen therapy is to be provided, the O-Two adjustable oxygen therapy flow controller is unbeatable for quality, size and performance

SPECIFICATIONS

THERAPY FLOW OPTION 1:	0, 0.5, 1, 2, 3, 4, 5, 6, 8, 10, 12, 15 (+/- 10%)
THERAPY FLOW OPTION 2:	0, 1, 2, 3, 4, 6, 8, 10, 12, 15, 20, 25 (+/- 10%)
MAXIMUM RATED INPUT PRESSURE:	50 PSI
OPERATING TEMPERATURE RANGE:	-18 to 50°C (0 to 122°F)
STORAGE TEMPERATURE RANGE:	-40 to 60°C (-40 to 140°F)
SIZE (EXCLUDING OUTLET AND INLET FITTING):	(h x w) 2.0 x 1.37 in
WEIGHT:	(h x w) 5.1 x 3.5 mm 4.0 oz / 0.1 kg

ORDERING INFORMATION

01FC0115D - Oxygen Therapy Flow Controller

0-15 L/min with 12 settings (Various inlet fittings available. Please specify at time of ordering).

01FC0125D - Oxygen Therapy Flow Controller

0-25 L/min with 12 settings (Various inlet fittings available. Please specify at time of ordering)

OUTSTANDING IMPACT RESISTANT

ALL-METAL CONSTRUCTION

LARGE VIEWING WINDOW

RIBBED CONTROL KNOB

POSITIVE 12 CLICK-STOP POSITIONS



THIS PRODUCT HAS A TWO YEAR WARRANTY AGAINST MANUFACTURERS DEFECTS.

o_two controlled ventilation™

www.otwo.com

rpe Road, Brampton, ON, Canada, L6T 5M4

Telephone: +1 905 792-OTWO (6896) N.A. Toll Free: +1 800 387 3405

Facsimile: +1 905 799 1339 Email: resuscitation@otwo.com

